sensio®

furniture lighting solutions

Lighting

Designed through innovation

ABOUT US

We at Sensio have been designing lighting solutions for kitchens and bedrooms since 2007. With a clear focus on quality and innovation, we are changing the industry from the inside out through the development of new concepts and technologies that are exclusive to us. Winners of multiple design awards, industry approved and certified; Sensio is a family owned brand you can trust.

Innovation, Create, Illuminate.

Sensio Lighting Ltd

Sensio America LLC

Sensio Company (HK) Ltd

Sensio Slovenia D.O.O

DESIGN, QUALITY & SERVICE

We place our focus on doing things a little differently. We are dedicated to designing and developing new and innovative lighting solutions that meet various design requirements. Our range of multi-award winning products offer the very latest LED technology and features that will help you exceed your customers expectations when designing their new kitchen or bedroom.

We are so confident in the quality of our products that we offer a 5 year guarantee on all of our kitchen and bedroom fittings.

Don't just take our word for our quality - here are just a selection of the awards we have won for our product design excellence:

Award Winning Lighting

ICONS EXPLAINED

All products have their own unique features. These icons will act as a guide.

Chrome Finish	**Cool LED Colour**	(CCT ring)	**Dimmable**	**120°**	**35,000** hrs
Finish colour	LED colour temperature	Correlated Colour Temperature (CCT)	Dimmable	Beam angle	LED life in hours

2.5 metres	**2 per m**	**Prismatic**	**SLS**	(Bluetooth)	(On/off)
Product cable length	No of LEDs per metre	Prismatic LED technology ™	Surface Light Source - no visible LED points (™)	Bluetooth	On/off switch

COB	(PIR icon)	(IR icon)	**R**	**Rechargeable**	(Battery)
Chip on board LED technology	PIR sensor switch	IR sensor switch	Ideal for retro-fitting	Rechargeable lithium-ion battery	Battery operated (AA or AAA)

iOS	**®**	**RGB**	(TrioTone icon)	**IP**	(Fire icon)
Sensio app controlled	Registered Design Rights	Colour changing	3-in-1 colour TrioTone™ light	Indicates protection against water	Fire Rated

TRIOTONE™

Warm white 3000K

Natural white 4000K

Cool white 5000K

| Warm white 3000K | Natural white 4000K | Cool white 5000K |

CORRELATED COLOUR TEMPERATURE (CCT)

CCT is a new concept that provides seamless transition from warm to cool white temperatures.

Our range of CCT products enables the user to cycle through the full spectrum of temperatures between cool and natural light, then from natural to warm light.

This allows the customer to mimic outside lighting conditions with much greater accuracy - a feature that has been scientifically proven to have a positive impact on our health.

CONTENTS

KITCHEN
LIGHTING

UNDER CABINET SPOT LIGHTING

- Perfectly positioned to ensure the kitchen becomes an easier working space for everyday tasks such as food preparation.
- Typically positioned under wall units to illuminate worktops.
- We recommend using 2-3 spot lights every metre. This creates a triangular lighting effect.

QUADRA PRO / QUADRA PRO IR
COLOUR TEMPERATURE CHANGEABLE UNDER CABINET LIGHT

Aluminium Finish		Dimmable	120°	30,000 hrs	2 metres	2 per m	

• LED technology for long service life

• Stylish and easy to install

• Ideal for under cabinet lighting

• High light output

• In built infra-red sensor for detection as well as colour changing function

• Fittings can be daisy chained for simple installation

• Can be used as an over cabinet light by purchasing mounting brackets

Quadra Pro IR Colour Temperature Changeable Under Cabinet Light
(WITH SENSOR) - **(2900-6000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21092P0	2.5W	● 24V	1	165 lm	Required	£38.22
SE21292P3*	7.5W	● 24V	3	165 lm	15W included	£116.48

*Pack includes 1 x SE21092P0, 2 x SE21192P0, 1 x SE40555

Quadra Pro Colour Temperature Changeable Under Cabinet Light
(WITHOUT SENSOR) - **(2900-6000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21192P0	2.5W	● 24V	1	165 lm	Required	£28.80
SE21392P3*	7.5W	● 24V	3	165 lm	15W included	£180.78

*Pack includes 3 x SE21192P0, 1 x SE40555, 1 x SE1004100, 1 x SE791990

*Over cabinet mounting
(each bracket to be bought separately)*

*Under cabinet mounting
(bracket provided with each fitting)*

2m   15cm   1.5m

Image shows how this product is wired to a driver

Cables, Connectors and Accessories (optional)

CODE	DESCRIPTION	RRP
SE240920	Over cabinet mounting bracket	£1.46

*Inset shows SE240920
Mounting Bracket
(required to transform the
Quadra into an over
cabinet light)*

Warm white 2900K

Natural white 4000K

Cool white 6000K

ALPHA-R / ALPHA-S
UNDER CABINET SPOT LIGHT

| Stainless Steel Finish | Cool / Warm LED Colour | Dimmable | 70° | 35,000 hrs | 2.5 metres | 2 per m |

- LED technology for long service life
- Stylish and easy to install
- Ideal for under cabinet lighting
- High light output
- Super slim design - 3mm thick
- Available in warm and cool white
- Two sizes available (square and rectangular)

Alpha-R Under Cabinet Spot Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE11390C0	3W	24V	1	330 lm	Required	£24.24
SE11390C3*	9W	24V	3	330 lm	15W included	£93.84

*Pack includes 3 x SE11390C0, 1 x SE40555

Alpha-R Under Cabinet Spot Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE11390W0	3W	24V	1	250 lm	Required	£24.24
SE11390W3*	9W	24V	3	250 lm	15W included	£93.84

*Pack includes 3 x SE11390W0, 1 x SE40555

Alpha-S Under Cabinet Spot Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE11490C0	3W	24V	1	330 lm	Required	£22.32
SE11490C3*	9W	24V	3	330 lm	15W included	£88.20

*Pack includes 3 x SE11490C0, 1 x SE40555

Alpha-S Under Cabinet Spot Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE11490W0	3W	24V	1	250 lm	Required	£22.32
SE11490W3*	9W	24V	3	250 lm	15W included	£88.20

*Pack includes 3 x SE11490W0, 1 x SE40555

75mm

175mm

3mm

75mm

75mm

3mm

2.5m

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.00

SE9009

Image shows how this product is wired to a driver

HYPE TRIOTONE™
LED SURFACE/RECESSED LIGHT

Stainless Steel Finish | **Cool/Natural/Warm LED Colour** | **Dimmable** | **110°** | **35,000 hrs** | **2.5 metres** | **2 per m** | ® |

• Registered Design Right - 6022106

• 1 light - 3 colour temperatures

• Choose between cool white, natural white and warm white by flicking a switch on the back of the fitting

• Simple to use and easy to install. Choose the colour temperature that suits your kitchen

• Cable can be unplugged from the back of the fitting via quick-release connector

• Fitting supplied with collar for surface mounting

• Sleek appearance

• Diffused light - no visible dots

• Luminous efficacy of 79-91 lm/W

Hype TrioTone LED Surface/Recessed Light - **(3000K, 4000K, 5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21100	1.65W	● 24V	1	130-150 lm	Required	£20.76
SE21100K2	3.3W	● 24V	2	130-150 lm	6W included	£57.74
SE21100K3	4.95W	● 24V	3	130-150 lm	6W included	£78.08

Change switch

Quick-release connector

Recessed: Cut out size: Ø60mm

Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.00

SE9009

Warm white 3000K

Natural white 4000K

Cool white 5000K

BERMUDA TRIOTONE™
LED TRIANGLE LIGHT

 Stainless Steel Finish | Cool/Natural/Warm LED Colour | Dimmable | 110° | 35,000 hrs | 2.5 metres | 2 per m | ®

• **Registered Design Right - 6022106**

• 1 light - 3 colour temperatures

• Choose between cool white, natural white and warm white by flicking a switch on the back of the fitting

• Simple to use and easy to install. Choose the colour temperature that suits your kitchen

• Cable can be unplugged from the back of the fitting via quick-release connector

• Fitting supplied with collar for surface mounting

• Sleek appearance

• Diffused light - no visible dots

• Luminous efficacy of 79-91 lm/W

Bermuda TrioTone LED Triangle Light - **(3000K, 4000K, 5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21000	1.65W	24V	1	130-150 lm	Required	£22.44
SE21000K2	3.3W	24V	2	130-150 lm	6W included	£61.03
SE21000K3	4.95W	24V	3	130-150 lm	6W included	£83.03

Change switch

Quick-release connector

144mm / 52mm / 12mm / 24mm / 154mm / 24mm / 45mm / 2mm

15cm / 2.5m / 1.5m

Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.00

SE9009

Warm white 3000K   Natural white 4000K   Cool white 5000K

PAD2
PRISMATIC™ LED LIGHT

| Silver Finish | Cool / Warm LED Colour | Dimmable | 110° | 35,000 hrs | 1.5 metres | 2 per m | Prismatic |

- Featuring **PRISMATIC** LED technology
- Contains an innovative diffuser with an etched design to completely diffuse light
- Discreet 7mm depth
- Elongated light panel to allow for an increased spread of light across the worktop
- No visible diodes reflect on the worktop
- Superb bright light output
- Maximum luminous efficacy of 88 lm/W
- Switch/dim using Sensio sensors and controllers

PAD2 Prismatic LED Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE22006C0	3.5W	● 24V	1	308 lm	Required	£39.60
SE22006C2	7W	● 24V	2	308 lm	15W included	£100.20
SE22006C3	10.5W	● 24V	3	308 lm	15W included	£139.01

PAD2 Prismatic LED Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE22006W0	3.5W	● 24V	1	301 lm	Required	£39.60
SE22006W2	7W	● 24V	2	301 lm	15W included	£100.20
SE22006W3	10.5W	● 24V	3	301 lm	15W included	£139.01

7mm | 180mm | 75mm

1.5m | 15cm | 1.5m

Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.00

SE9009

ALTI
SQUARE PRISMATIC™ LED LIGHT

| Silver Finish | Cool / Warm LED Colour | Dimmable | 100° | 35,000 hrs | 1.5 metres | 2 per m | Prismatic |

• Featuring **PRISMATIC** LED technology

• Contains an innovative diffuser with an etched design to completely diffuse light

• Super thin depth of 7mm

• Due to super slim design the Alti is great for kitchens without a pelmet

• No visible diodes

• Superbly bright output

• Maximum luminous efficacy of 91lm/W

• Switch/dim using Sensio sensors and controllers

ALTI Square Prismatic LED Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21006C0	3.5W	● 24V	1	319 lm	Required	£21.12
SE21006C2	7W	● 24V	2	319 lm	15W included	£63.97
SE21006C3	10.5W	● 24V	3	319 lm	15W included	£84.67

ALTI Square Prismatic LED Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21006W0	3.5W	● 24V	1	291 lm	Required	£21.12
SE21006W2	7W	● 24V	2	291 lm	15W included	£63.97
SE21006W3	10.5W	● 24V	3	291 lm	15W included	£84.67

7mm

110mm

110mm

1.5m   15cm   1.5m

Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.00

SE9009

QUADRA MODERN
LED UNDER CABINET LIGHT

| Aluminium Finish | Cool / Warm LED Colour | Dimmable | 120° | 35,000 hrs | 2 metres | 2 per m | SLS | ® |

- **Registered Design Right - 6024086**
- Multi-functional design, unique to Sensio in the UK
- Elongated design allows for vast spread of light across worktop
- Specialised lens diffuses LEDs to create the appearance of invisible diodes
- High number of LEDs for bright light output
- Easy installation using daisy chaining to fit multiple lights into one area
- Specially designed mounting brackets allow for simple installation
- Can be used as an over cabinet light by purchasing mounting brackets

Quadra Modern LED Under Cabinet Light - **Cool White (5600K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21092C0	2.5W	● 24V	1	170 lm	Required	£21.12
SE21092C2	5W	● 24V	2	170 lm	6W included	£58.45
SE21092C3	7.5W	● 24V	3	170 lm	15W included	£84.67

Quadra Modern LED Under Cabinet Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21092W0	2.5W	● 24V	1	155 lm	Required	£21.12
SE21092W2	5W	● 24V	2	155 lm	6W included	£58.45
SE21092W3	7.5W	● 24V	3	155 lm	15W included	£84.67

Over cabinet mounting
(each bracket to be bought separately)

Under cabinet mounting
(bracket provided with each fitting)

2m   15cm   1.5m

Image shows how this product is wired to a driver

Cables, Connectors and Accessories (optional)

CODE	DESCRIPTION	RRP
SE240920	Over cabinet mounting bracket	£1.46
SE9009	2.5m Extension Cable	£3.00

SE9009

Inset shows SE240920 Mounting Bracket (required to transform the Quadra into an over cabinet light)

LARA 2
SURFACE/RECESSED LIGHT

| Aluminium Finish | Cool / Warm LED Colour | Dimmable | 85° | 35,000 hrs | 1.5 metres | 2 per m | SLS |

• High quality, high output. Double the brightness of the standard Hype surface light

• No visible LED points

• Sleek and bright

• Perfect for task lighting or to illuminate cabinet interiors in glass fronted wall units

• Spacer included

• Can be surface mounted or recessed

• Luminous efficacy of 73 lm/W

• Aluminium fitting has great thermal conduction

Lara 2 Surface/Recessed Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21202C0	3W	● 24V	1	220 lm	Required	£21.42
SE21202C2	6W	● 24V	2	220 lm	6W included	£59.04
SE21202C3	9W	● 24V	3	220 lm	15W included	£85.56

Lara 2 Surface/Recessed Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE21202W0	3W	● 24V	1	200 lm	Required	£21.42
SE21202W2	6W	● 24V	2	200 lm	6W included	£59.04
SE21202W3	9W	● 24V	3	200 lm	15W included	£85.56

Recessed: Cut out size: Ø59-60mm

Surface mounted

Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.00

SE9009

HYPE
LED SURFACE/RECESSED LIGHT

| Stainless Steel Finish | Cool / Warm LED Colour | Dimmable | 110° | 35,000 hrs | 2.5 metres | 2 per m | SLS |

- Frosted cover for diffused LEDs
- Fitting supplied with collar for surface mounting
- Stainless steel fitting great for both contemporary and traditional kitchens
- Luminous efficacy of 80 lm/W
- Use as task lighting or illuminate cabinet interiors with glass fronted wall units
- Over 90% less energy use than halogen
- Can be used with a range of Sensio switches and dimmers

Hype LED Surface Light - **Cool White (6500K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE90050C0	1.65W	● 24V	1	100 lm	Required	£15.36
SE90050C2	3.3W	● 24V	2	100 lm	6W included	£47.16
SE90050C3	4.95W	● 24V	3	100 lm	6W included	£62.21

Hype LED Surface Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE90050W0	1.65W	● 24V	1	93 lm	Required	£15.36
SE90050W2	3.3W	● 24V	2	93 lm	6W included	£47.16
SE90050W3	4.95W	● 24V	3	93 lm	6W included	£62.21

11mm 1mm 13.5mm Ø65mm Ø68mm

Recessed: Cut out size: Ø60mm

2.5m 15cm 1.5m

Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.00

SE9009

ORBIT
TILTABLE LED LIGHT

Aluminium Finish	Cool / Warm LED Colour	Dimmable	30°	50,000 hrs	1.5 metres	2 per m

- Tiltable, super bright LED spot light
- Tiltable centre section allows light to be directed to any desired position
- Fitting supplied with collar
- Luminous efficacy of 59/81 lm/W
- High performance LED chips for optimum light output
- Use as task lighting or illuminate cabinet interiors with glass fronted wall units
- Long lamp life - lasts up to 47,500 hours more than halogen
- Can be used with a range of Sensio switches and dimmers
- Die cast metal exterior

Orbit Tiltable LED Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9008HDCW	3W	12V	1	243 lm	Required	£30.96
SE9008HDCWK2	6W	12V	2	243 lm	6W included	£77.75
SE9008HDCWK3	9W	12V	3	243 lm	15W included	£113.60

Orbit Tiltable LED Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9008HDWW	3W	12V	1	176 lm	Required	£30.96
SE9008HDWWK2	6W	12V	2	176 lm	6W included	£77.75
SE9008HDWWK3	9W	12V	3	176 lm	15W included	£113.60

Ø65mm, 15mm, 12.6mm, Ø60mm

Recessed: Cut out size: Ø60mm

1.5m, 15cm, 1.5m

Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.00

12°, 50°

SE9009

NOVUS
HD LED TRIANGLE LIGHT

Aluminium Finish	Cool / Warm LED Colour	Dimmable	50°	50,000 hrs	2.5 metres	2 per m

- Slim profile design of the popular triangle light
- Perfect for kitchens without a pelmet
- Luminous efficacy of 80 lm/W
- High definition LEDs
- Lens over each diode to intensify light output
- Long lamp life - lasts up to 47,500 hours more than halogen
- 24 integrated LEDs
- Can be used with a range of Sensio switches and dimmers
- Supplied with detachable cable 75mm from the base of the fitting

Novus HD LED Triangle Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9001HDCW	1.65W	● 24V	1	132 lm	Required	£23.44
SE9001HDCW2	3.3W	● 24V	2	132 lm	6W included	£62.99
SE9001HDCW3	4.95W	● 24V	3	132 lm	6W included	£85.96

Novus HD LED Triangle Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9001HDWW	1.65W	● 24V	1	123 lm	Required	£23.44
SE9001HDWW2	3.3W	● 24V	2	123 lm	6W included	£62.99
SE9001HDWW3	4.95W	● 24V	3	123 lm	6W included	£85.96

139mm
148mm
20.6mm

15cm
2.5m
1.5m

Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.00

SE9009

BERMUDA
LED TRIANGLE LIGHT

Stainless Steel Finish	Cool / Warm LED Colour	Dimmable	110°	35,000 hrs	2.5 metres	2 per m	SLS

- Traditional look, modern solution
- Stainless steel fitting great for both contemporary and traditional kitchens
- Luminous efficacy of 80 lm/W
- Long lamp life - lasts up to 32,500 hours more than halogen
- Can be used with a range of Sensio switches and dimmers

Bermuda HD LED Triangle Light - **Cool White (6500K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE90010C0	1.65W	● 24V	1	100 lm	Required	£15.36
SE90010C2	3.3W	● 24V	2	100 lm	6W included	£47.16
SE90010C3	4.95W	● 24V	3	100 lm	6W included	£62.21

Bermuda HD LED Triangle Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE90010W0	1.65W	● 24V	1	93 lm	Required	£15.36
SE90010W2	3.3W	● 24V	2	93 lm	6W included	£47.16
SE90010W3	4.95W	● 24V	3	93 lm	6W included	£62.21

24mm

135mm

130mm   35mm

15cm

2.5m

1.5m

Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.00

SE9009

ORA
HD LED SQUARE SURFACE LIGHT

Stainless Steel Finish	Cool / Warm LED Colour	Dimmable	25°	35,000 hrs	2.5 metres	3 per m

- Perfect for the minimalist kitchen design
- Stainless steel fitting great for both contemporary and traditional kitchens
- Fitting has a depth of only 8.8mm
- Luminous efficacy of 75 lm/W
- Use as task lighting or illuminate cabinet interiors with glass fronted wall units
- 18 high definition integrated LEDs
- Lens over each diode to intensify light output
- Can be used with a range of Sensio switches and dimmers

Ora HD LED Square Surface Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9007HDCW	1.8W	● 24V	1	135 lm	Required	£20.52
SE9007HDCWK2	3.6W	● 24V	2	135 lm	6W included	£57.28
SE9007HDCWK3	5.4W	● 24V	3	135 lm	6W included	£77.39

Ora HD LED Square Surface Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE9007HDWW	1.8W	● 24V	1	128 lm	Required	£20.52
SE9007HDWWK2	3.6W	● 24V	2	128 lm	6W included	£57.28
SE9007HDWWK3	5.4W	● 24V	3	128 lm	6W included	£77.39

66mm

66mm

8.8mm

15cm

1.5m

2.5m

Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.00

SE9009

PINTO
LED FLAT DISC LIGHT

| Silver Finish | Cool / Warm LED Colour | Dimmable | 120° | 30,000 hrs | 1.5 metres | 2 per m |

- Sleek, bright and discreet
- Fitting is only 6mm deep
- Can be used under kitchen cabinets as a task light or inside glass fronted wall units as mood lighting
- 16 integrated LEDs
- Each fitting runs at only 1.5W so 4 fittings can be run from a single 6W driver
- Simple to install, surface mount using 2 screws

Pinto LED Flat Disc Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE10138CW.24	1.5W	● 24V	1	120 lm	Required	£6.60
SE10138CWK3.24	4.5W	● 24V	3	120 lm	6W included	£36.46

Pinto LED Flat Disc Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE10138WW.24	1.5W	● 24V	1	112 lm	Required	£6.60
SE10138WWK3.24	4.5W	● 24V	3	112 lm	6W included	£36.46

Ø60mm

6mm

1.5m

15cm

1.5m

Image shows how this product is wired to a driver

GX53 CIRCA
LED SURFACE/RECESSED LIGHT

| Stainless Steel Finish | Cool / Warm LED Colour | 120° | 35,000 hrs | 1.5 metres | 2 per m |

- Mains LED Spot lighting - anyone can install when using the distribution block accessory
- Stainless steel fitting
- Choose from two high output, energy efficient GX53 LED lamps
- No driver required
- Extremely simple connection system
- Mains cable has connector attached which plugs into the SE11175
- Distribution unit has pre-wired 13A plug
- 50 integrated diodes for optimum light output
- Lamps are simple to replace using twist and lock mechanism

Step 1 - Choose your light fitting:

GX53 Circa LED Recessed/Surface Light

CODE	Voltage	Qty	RRP
SE11146SS	240V	1	£14.04

Step 2 - Choose your lamp:

Cool White (5800K)

CODE	Wattage	Voltage	LED Qty	Lumens	Qty	RRP
SE10156CW	3W	240V	50	250 lm	1	£21.12

Warm White (3000K)

CODE	Wattage	Voltage	LED Qty	Lumens	Qty	RRP
SE10156WW	3W	240V	50	245 lm	1	£24.96

Surface Mounted
Ø 96 mm
34 mm
30 mm

Recessed
Ø 93 mm
30 mm
24 mm

Ø74mm
24.5mm

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE11175	GX53 6 Way Distributor Block with 1.5m Cable & Plug	£12.48

SE11175

GX53 TRIGON
LED TRIANGLE LIGHT

Stainless Steel Finish	Cool / Warm LED Colour	120°	35,000 hrs	1.5 metres	2 per m

- Mains LED Spot lighting - anyone can install when using the distribution block accessory
- Stainless steel triangle light fitting only
- Buy the fitting and then choose LED lamp from table below
- No driver is required
- Extremely simple connection system
- Mains cable has connector attached which plugs into the SE11175
- 50 diodes integrated for optimum light output
- Angled aspect directs light forward onto worktop
- Lamps are simple to replace using twist and lock mechanism

Step 1 - Choose your light fitting:

GX53 Trigon LED Triangle Light

CODE	Voltage	Qty	RRP
SE11147SS	240V	1	£12.72

Step 2 - Choose your lamp:

Cool White (5800K)

CODE	Wattage	Voltage	LED Qty	Lumens	Qty	RRP
SE10156CW	3W	240V	50	250 lm	1	£21.12

Warm White (3000K)

CODE	Wattage	Voltage	LED Qty	Lumens	Qty	RRP
SE10156WW	3W	240V	50	245 lm	1	£24.96

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE11175	GX53 6 Way Distributor Block with 1.5m Cable & Plug	£12.48

SE11175

UNDER CABINET STRIP LIGHTING

- The ultimate task lighting solution.
- Create a continuous run of unbroken light by using an LED strip light.

CONNEX SINGLE COLOUR
CONNEX TRIOTONE™
240V LED STRIP LIGHT

| White Finish | Warm LED Colour | | 120° | 35,000 hrs | 1.5 metres | SLS |

• Improved spec

• No visible LEDs

• Extremely high light output for effective task lighting

• Integrated LED driver for simple installation

• Energy efficient

• Can be interlinked

• Supplied with 1.5m of bare ended mains cable for simple installation

• No driver required

• Available as warm white or TrioTone™

Connex Single 240V LED Strip Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	RRP
SE100190	3W	240V	222mm	1	300 lm	£9.85
SE100290	5W	240V	343mm	1	500 lm	£11.78
SE100790	8W	240V	524mm	1	800 lm	£12.96
SE100990	16W	240V	904mm	1	1600 lm	£17.94

Connex TrioTone™ 240V LED Strip Light - **(3000K, 4000K, 5000K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	RRP
SE100390	3W	240V	222mm	1	240-260 lm	£18.18
SE100490	5W	240V	343mm	1	400-430 lm	£20.76
SE100590	9W	240V	524mm	1	765-810 lm	£24.35
SE100690	12W	240V	623mm	1	980-1080 lm	£25.63

222/343/524/623/904mm

22mm

30mm

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE101290	Connex Joining Cable - 500mm	£2.15
SE101190	Connex Joining Cable - 250mm	£1.70

SE101290   SE101190

ARROW
SLIM PROFILE LED STRIP LIGHT

| Opal PC Finish | Cool / Warm LED Colour | Dimmable | 110° | 50,000 hrs | SLS |

- Continuous, diffused LED Under Cabinet Lighting
- Contains unique configuration of diffusers to evenly distribute light
- No visible LED points
- Available in 4 lengths, tailored to perfectly fit all cabinet sizes and combinations
- Can be interlinked with no visible joins
- Slim profile of only 13mm
- High lumen output and wide beam angle
- Maximum length of 3600mm when interlinked
- End cap measures 20mm
- Starter cable to be purchased separately

Arrow Slim Profile LED Strip Light - **Cool White (5000K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE9071HDCW	2.5W	● 24V	200mm	1	295 lm	Required	£21.78
SE9074HDCW	4W	● 24V	300mm	1	472 lm	Required	£28.44
SE9075HDCW	7.5W	● 24V	570mm	1	958 lm	Required	£54.36
SE9076HDCW	11.5W	● 24V	870mm	1	1387 lm	Required	£84.96

Arrow Slim Profile LED Strip Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE9071HDWW	2.5W	● 24V	200mm	1	258 lm	Required	£21.78
SE9074HDWW	4W	● 24V	300mm	1	413 lm	Required	£28.44
SE9075HDWW	7.5W	● 24V	570mm	1	838 lm	Required	£54.36
SE9076HDWW	11.5W	● 24V	870mm	1	1213 lm	Required	£84.96

Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9078HD*	1.5m Arrow Starter Cable *Required to run the Arrow (at least one required per run)*	£4.56
SE9077HD	50mm Arrow Corner Connector	£3.00
SE9079HD	500mm Joining Cable	£3.48

SE9078HD   SE9077HD   SE9079HD

ALBUS
LED STRIP LIGHT

White Finish | Cool LED Colour | 120° | 30,000 hrs | 1 metre

- Ultimate ease of installation
- Fittings can be interlinked
- No driver required
- High number of LEDs for maximum light output
- Angled fitting for optimum illumination of worktops
- Supplied with 1m of mains cable for simple installation

Albus LED Strip Light - **Cool White (6000K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	RRP
SE12250-250mm	2.7W	240V	250mm	1	235 lm	£38.40
SE12330-330mm	3.6W	240V	330mm	1	325 lm	£43.92
SE12550-550mm	6.8W	240V	550mm	1	605 lm	£63.00

36
35.5
Length

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE12005	500mm Link Cable	£3.12

IN CABINET LIGHTING

- A beautiful added extra bringing luxury to any kitchen design.

- For Retro-Fit Rechargeable Battery/Low Voltage In-Cabinet Lighting see pages 138 - 149.

QUADRA MODERN
LED IN CABINET LIGHT

| Aluminium Finish | Cool / Warm LED Colour | 120° | 35,000 hrs | 2 metres | SLS | ® |

- **Registered Design Right - 6024086**
- Multi-functional design, unique to Sensio in the UK
- Specialised lens diffuses LEDs to create the appearance of invisible diodes
- Integrated IR Sensor
- Light coloured doors - can be fitted 50mm from door
- Dark coloured doors - can be fitted 25mm from door
- High number of LEDs for bright light output
- Light switches on as door opens and off as door closes
- Easy installation using mounting bracket

Quadra Modern LED In Cabinet Light - **Cool White (5600K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE23092C0	2.5W	● 24V	1	170 lm	Required	£31.20

Quadra Modern LED In Cabinet Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE23092W0	2.5W	● 24V	1	155 lm	Required	£31.20

Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.00

SE9009

SHELF LIGHTING

- A stunning added extra to your lighting scheme, Shelf Lighting has a big impact.

EDGE PRO
COLOUR TEMPERATURE CHANGEABLE LED GLASS CLIP LIGHT

White Finish		35,000 hrs	1.5 metres	SLS	Dimmable

• Improved specification

• Glass shelves are a feature. Can be used to accentuate crockery or other kitchenware items

• Fits 4-8mm pane of glass

• Provides soft, ambient mood lighting

• White, diffused finish

• Light shines out towards front edge of the glass

• Can be cut to length

• Cut marks every 84mm

• Integrated diffuser provides no visible dots

• Extremely low wattage

• Use two lengths together for longer units

• Simple to install

• Edge Pro can be dimmer when used with a DuoFlex receiver and 3-in-1 remote

Inset shows the integrated diffuser on the EDGE PRO LED Glass Clip Light.

Edge Pro LED Glass Clip Light - **(2700K - 6500K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE97095P	2W	● 24V	450mm	1	200 lm	Required	£24.00

450mm

1500mm

26mm

14mm

15cm

1.5m

1.5m

Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.00

SE9009

Warm white 2700K   Natural white 4000K   Cool white 6500K

TORINO
LED WALL MOUNTED SHELF

| Black Finish | Silver Finish | Cool LED Colour | 30,000 hrs | 2 metres |

- LED technology for long service life
- Stylish and easy to install
- Contemporary design, provides a feature item for contemporary kitchen designs
- Available in two different lengths (600mm and 900mm)
- Available in back and silver finishes
- Compatible with Sensio LED drivers
- Aluminum frame and tempered glass shelf
- Load beaing capacity of up to 10kg

Torino LED Wall Mounted Shelf - **Natural White (4500K)**

CODE	Colour	Length	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE17232C0	Silver	600mm	5.4W	● 24V	1	325 lm	Required	£94.50
SE17262C0	Silver	900mm	8.4W	● 24V	1	482 lm	Required	£114.00
SE17238C0	Black	600mm	5.4W	● 24V	1	325 lm	Required	£94.50
SE17268C0	Black	900mm	8.4W	● 24V	1	482 lm	Required	£114.00

30mm
19mm
200mm
600/900mm

2m

Image shows how this product is wired to a driver

GENOA
INTEGRATED LED SHELF PROFILE

| Aluminium Finish | Cool LED Colour | 30,000 hrs | 120° | 2 metres |

- LED technology for long service life
- Stylish and easy to install
- Unique up and down shelf Light
- Integrated LED profile
- Available in two different lengths
- Suitable for 18mm wooden shelves
- Integrated diffuser
- Contemporary champagne finish contrasts excellently with most contemporary kitchen finishes

Inset shows the integrated diffuser on the GENOA LED Light.

Torino LED Wall Mounted Shelf - **Natural White (4500K)**

CODE	Wattage	Length	Wattage	Qty	Lumens	Driver	RRP
SE18492C0	7.7W	463mm	● 24V	1	413 lm	Required	£28.06
SE18592C0	9.5W	563mm	● 24V	1	475 lm	Required	£32.28

22mm
6mm
20mm
463/563mm

2m

Image shows how this product is wired to a driver

DRAWER LIGHTING

- A functional convenience light which should be added to a design for ultimate ease of use.
- High definition LED drawer lights are a great added extra to illuminate dark drawers where additional light is often sought.

DURA PLUS
LED BATTERY LIGHT WITH PIR SENSOR

Aluminium Finish	Cool LED Colour	120°		

• Super bright and easy to install

• No wiring necessary - magnetic strip with 3M adhesive backing simply applies to inside of drawer

• Powered by 4 x AAA batteries (not included)

• Versatile product - can be used in various locations such as in drawers and in/under cabinets

• Integrated PIR sensor located in centre of fitting

• 20 or 60 second delay on sensor if no motion is detected

• Batteries have an approximate lifespan of 8 months when used for 3 minutes per day

• Dual mode functioning switch on the back of fixture

• Press functioning switch once to switch between modes

Dura Plus LED Battery Light With PIR Sensor - **Cool White (5000K)**

CODE	Power Supply	Qty	Lumens	RRP
SE16097C0	4 x AAA batteries*	1	40 lm	£20.40

* Batteries not included

300.00 17.00

19.00 18.00 22.00

VERSO
LED DRAWER LIGHT

| Aluminium Finish | Natural LED Colour | 120° | 30,000 hrs | 2 metres | |

- Improved specification
- The ultimate functional light
- Various lengths available to suit standard drawer sizes
- High definition LED for optimum light output
- Integrated IR sensor on front edge - light will turn on when drawer is opened
- Energy saving. When drawer is closed, light turns off
- Low wattage - a full drawer pack can be powered from a single driver
- Brackets and cable tidy supplied to ensure no loose, unsightly wires
- Verso is suitable for use in both the kitchen and bedroom

Verso LED Drawer Light - **Natural White (4500K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE7300HDCW24	2.6W	● 24V	462mm	1	225 lm	Required	£40.80
SE7305HDCW24	3.3W	● 24V	562mm	1	338 lm	Required	£43.38
SE7310HDCW24	4.5W	● 24V	762mm	1	420 lm	Required	£48.48
SE7315HDCW24	5.4W	● 24V	862mm	1	460 lm	Required	£51.96
SE7320HDCW24	6W	● 24V	962mm	1	500 lm	Required	£56.14
SE7325HDCW24	7.3W	● 24V	1162mm	1	590 lm	Required	£60.35

462 / 562 / 762 / 862 / 962 / 1162mm

2mm
14mm
2.5mm
22mm
8mm
45mm

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.00

SE9009

PLINTH LIGHTING

- Integrate plinth lighting into your kitchen design to add dimension and depth to the room.
- Soft and gentle designs that tend to be, used for decorative purposes.
- Often an overlooked aspect of Kitchen Lighting but can have a huge impact.

HALO TRIOTONE™
COLOUR TEMPERATURE
SWITCHABLE PLINTH LIGHT

Stainless Steel Finish | 120° | 30,000 hrs | 750mm

• LED technology for long service life

• Stylish and easy to install

• Ideal for use on kitchen plinth boards

• Switch colour temperature to preferred setting (warm, natural or cool)

• High light output

• Fittings can be daisy chained for simple installation

• Available individually or as a pack of 4 or 8

• Diffused cover, no visible LEDs

Inset shows switch at back of fitting for colour change

Halo TrioTone™ Colour Temperature Switchable Plinth Light - **(3000K, 4000K, 5000K)**

| CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE150000	0.5W	● 24V	1	28 lm	Required	£10.74
SE150004	2W	● 24V	4	28 lm	6W included	£58.80
SE150008	4W	● 24V	8	28 lm	6W included	£100.80

Image shows how this product is wired to a driver

Warm white 3000K

Natural white 4000K

Cool white 5000K

LUCE
LED SQUARE PLINTH LIGHT

Stainless Steel Finish	Cool / Warm LED Colour	130°	30,000 hrs	1.5 metres	SLS

- Super thin with invisible LEDs
- Stainless steel surround
- 6 diffused integrated LEDs
- No visible LED points
- Available individually or as a pack of 4 or 8
- Light sits flush to plinth
- Fittings can be daisy chained together
- Can be used with a range of Sensio switches and dimmers

Luce LED Square Plinth Light - **Cool White (4000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE15090C0	0.6W	● 24V	1	16 lm	Required	£6.55
SE15090C4	2.4W	● 24V	4	16 lm	6W included	£42.74
SE15090C8	4.8W	● 24V	8	16 lm	6W included	£68.42

Luce LED Square Plinth Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE15090W0	0.6W	● 24V	1	16 lm	Required	£6.55
SE15090W4	2.4W	● 24V	4	16 lm	6W included	£42.74
SE15090W8	4.8W	● 24V	8	16 lm	6W included	£68.42

Cut out size: Ø44mm

Image shows how this product is wired to a driver

Each cable on the product is 1m

SPECTO
LED ROUND PLINTH LIGHT

Stainless Steel Finish | **Cool / Warm LED Colour** | **90°** | **35,000 hrs** | **1.5 metres** | **IP44**

- Stylish, discreet fitting. Stunning effect
- Ideal for use on kitchen plinth or in zone 2* of bathroom
- Each fitting runs at 0.32W
- Available individually or as a pack of 4 or 8
- 15mm fittings - very discreet
- 2 x 75cm cable per fitting for daisy chain connection
- Can be used with a range of Sensio switches and dimmers
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical

Specto LED Round Plinth Light - **Cool White (4000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE15091C0	0.32W	● 24V	1	8 lm	Required	£5.88
SE15091C4	1.28W	● 24V	4	8 lm	6W included	£40.10
SE15091C8	2.56W	● 24V	8	8 lm	6W included	£63.16

Specto LED Round Plinth Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE15091W0	0.32W	● 24V	1	8 lm	Required	£5.88
SE15091W4	1.28W	● 24V	4	8 lm	6W included	£40.10
SE15091W8	2.56W	● 24V	8	8 lm	6W included	£63.16

Ø15mm
39.5mm | 5.2mm
Cut out size: Ø10mm

1.5m

* The area stretching to 60cm outside the bath or shower and 60 cm from water outlet of sink. An IP rating of at least IP44 is required.

Image shows how this product is wired to a driver

Each cable on the product is 750mm

PURO
LED ROUND PLINTH LIGHT

| Transparent PC | Cool / Warm LED Colour | 90° | 20,000 hrs | 2 metres |

• 2 x 1m cables per fitting
• Available individually or as a pack of 4 or 8
• 15mm fittings - small size
• Fittings can be daisy chained together
• Can be used with a range of Sensio switches and dimmers

Puro LED Round Plinth Light - **Cool White (4000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE15094C0	0.24W	● 24V	1	10 lm	Required	£5.24
SE15094C4	0.96W	● 24V	4	10 lm	6W included	£37.62
SE15094C8	1.92W	● 24V	8	10 lm	6W included	£58.18

Puro LED Round Plinth Light - **Warm White (3000K)**

CODE	Wattage	Voltage	Qty	Lumens	Driver	RRP
SE15094W0	0.24W	● 24V	1	10 lm	Required	£5.24
SE15094W4	0.96W	● 24V	4	10 lm	6W included	£37.62
SE15094W8	1.92W	● 24V	8	10 lm	6W included	£58.18

Cut out size: Ø11.8mm

Image shows how this product is wired to a driver

Each cable on the product is 1m

NIMBUS
LED PLINTH LIGHT KIT

| Stainless Steel Finish | Cool LED Colour | 90° | 50,000 hrs | 1.5 metres | IP67 |

- Mood lighting for the kitchen or bathroom
- Ideal for use on kitchen plinths or in the bathroom
- All required components are included in the kit
- 2 x 500mm cables for each fitting
- 1.5m of mains cable from the driver
- Maximum walkover pressure is 100kg
- Also suitable for use in ceramic tiles, natural stone, hard wood and Quartz flooring
- Low energy consumption
- IP67 rated - Totally protected against the ingress of dust and protected against immersion in water (up to 30 mins between 15cm & 1m)

Nimbus LED Plinth Light Kit - **Cool White (5500K)**

CODE	Wattage	Cable	Qty	Lumens	Driver	RRP
SE35000C6.1	1.8W	1m PF*	6	22.8 lm	8W included	£53.30

* PF = per fitting

Ø30mm

12mm

Ø22mm

Cut out size: Ø24mm

1.5m

Image shows how this product is wired to a driver

Each cable on the product is 500mm

FLEXIBLE STRIP LIGHTING

- Extremely simple to use and can be used almost anywhere.
- Consider creating ambient mood lighting by using the flexible strip above wall units, along the plinth, under the worktop and even around a TV.

SIGMA
BENDABLE FLEXIBLE STRIP

| White Finish | Cool / Warm LED Colour | Dimmable | 120° | 50,000 hrs | IP20 | ® |

• **Registered Design Right - 6024618**

• Innovation at its best - our brand new bendable flexible strip

• Strip has a unique PCB board cut in a 'zigzag' shape with amazing flexibility, allowing you bend the strip along 2 axes'

• Strip can be bent around 90 degree corners without the need for corner cables or starting a new run of strip

• Available in a 5000mm reel

• Self-adhesive 3M tape on back for installation

• The product can be cut to length with cut points every 100mm

• Can be cut and reused up to 50 times

• Uses the same connectors as the Primo range

• IP20 rated - protected against solid objects over 12mm (e.g. fingers)

Sigma Bendable Flexible Strip - **Cool White (5000K)**

CODE	Wattage	Voltage	Length	Qty	LEDs	Lumens	Driver	RRP
SE10255C0	18W	● 24V	5000mm	1	300pcs	1990 lm	Required	£73.56
SE10255C1	18W	● 24V	5000mm	1	300pcs	1990 lm	30W included	£113.02

Sigma Bendable Flexible Strip - **Warm White (3000K)**

CODE	Wattage	Voltage	Length	Qty	LEDs	Lumens	Driver	RRP
SE10255W0	18W	● 24V	5000mm	1	300pcs	1960 lm	Required	£73.56
SE10255W1	18W	● 24V	5000mm	1	300pcs	1960 lm	30W included	£113.02

8mm

1.5mm

2.5m

15cm

1.5m

Image shows how this product is wired to a driver

Cable, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE101080*	Sigma Driver Connection Cable - 2500mm	£4.08
	* Required to run the Sigma LED Flexible Strip	
SE100050	Sigma Joining Clip	£1.44
SE100750	1.5m Joining Lead	£4.44
SE101050	Sigma Flexible Strip Corner Connector - 50mm	£2.40
SE9009	2.5m Extension Cable	£3.00

SE101080   SE100050   SE100750   SE101050   SE9009

QUANTUM
DIFFUSED FLEXIBLE STRIP

| White Finish | Cool / Warm LED Colour | Dimmable | 150° | 35,000 hrs | IP20 |

- Entirely diffused flexible strip light with no visible LED points
- Supplied with clips and 3M adhesive so the product can be used along the plinth or under cabinets
- Developed so the product can be cut to length. Cut points are every 41mm so a precise length can be achieved (each strip can only be cut once and the cut piece is to be discarded)
- Strips have male and female connectors so can be seamlessly and very simply interlinked
- Each strip is supplied with an end cap to protect the female end or cut end of the strip
- The join between strips is almost seamless
- No more visible LED points on a glossy floor - achieve a truly seamless line for the first time
- IP20 rated - protected against solid objects over 12mm (e.g. fingers)

Quantum Diffused Flexible Strip - **Cool White (5000K)**

CODE	Wattage	Voltage	Length	Qty	LEDs	Lumens	Driver	RRP
SE20105C0	3W	● 24V	333mm	1	48	201 lm	Required	£24.36
SE20115C0	9W	● 24V	1000mm	1	144	600 lm	Required	£54.00
SE20115C1	9W	● 24V	1000mm	1	144	600 lm	30W included	£80.78

Quantum Diffused Flexible Strip - **Warm White (3000K)**

CODE	Wattage	Voltage	Length	Qty	LEDs	Lumens	Driver	RRP
SE20105W0	3W	● 24V	333mm	1	48	186 lm	Required	£24.36
SE20115W0	9W	● 24V	1000mm	1	144	558 lm	Required	£54.00
SE20115W1	9W	● 24V	1000mm	1	144	558 lm	30W included	£80.78

Length — 10mm

11mm

12mm

15cm

1.5m

1.5m

Image shows how this product is wired to a driver

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE200570*	Quantum Strip Driver Connection Lead - 1500mm	£5.04
Required to run the Quantum Flexible Strip		
SE200050	50mm Corner Connection Cable	£4.20
SE200750	1500mm Joining Lead	£6.48

SE200570

SE200050

SE200750

End cap connection

COMPACT
MULTI-POINT LED FLEXIBLE STRIP

| White Finish | Cool / Warm LED Colour | Dimmable | 120° | 50,000 hrs | IP54 | ® |

• **Registered Design Right - 6024617**

• Compact has the highest lumen output per metre of all the flexible strips

• More diodes, closer together - no dark spots

• Sleek finish

• Self-adhesive 3M tape on back for installation

• Male and female ends allow you to create required length

• Can be cut to length (every 50mm)

• Cut the strip ONCE and re-use the cut off section using cut joining connector

• Suitable for use in multiple areas - including Plinth, Over / Under Cabinet

• Run 10m from one 60W driver

• IP54 rated - Limited ingress of dust permitted (no harmful deposit) and protected against sprays from any angle, e.g. splashes of water

Compact Multi-Point Flexible LED Strip - **Cool White (5500K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE10845C0	3W	● 24V	500mm	1	333 lm	Required	£19.20
SE10815C0	6W	● 24V	1000mm	1	667 lm	Required	£27.42
SE10815C1	6W	● 24V	1000mm	1	667 lm	15W included	£46.45
SE10825C0	12W	● 24V	2000mm	1	1334 lm	Required	£47.76
SE10825C1	12W	● 24V	2000mm	1	1334 lm	15W included	£72.43

Compact Multi-Point Flexible LED Strip - **Warm White (2900K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE10845W0	3W	● 24V	500mm	1	311 lm	Required	£19.20
SE10815W0	6W	● 24V	1000mm	1	623 lm	Required	£27.42
SE10815W1	6W	● 24V	1000mm	1	623 lm	15W included	£46.45
SE10825W0	12W	● 24V	2000mm	1	1246 lm	Required	£47.76
SE10825W1	12W	● 24V	2000mm	1	1246 lm	15W included	£72.43

10mm
2.5mm

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.00
SE90314HD*	HD LED Flexible Strip Driver Connection Lead - 2500mm	£3.11
	* Required to run the Compact LED Flexible Strip	
SE90315HD	HD LED Flexible Strip Joining Lead - 500mm	£3.42
SE90316HD	HD LED Flexible Strip Corner Connection Lead - 50mm	£3.60
SE90317HD	HD LED Flexible Strip Cut Jointing Connector	£1.44

2.5m   15cm   1.5m

Image shows how this product is wired to a driver

SE9009   SE90314HD   SE90315HD   SE90316HD   SE90317HD

VIVA 2
MULTI LED FLEXIBLE STRIP

| White Finish | Cool / Warm LED Colour | Dimmable | 120° | 50,000 hrs | IP54 | ® |

• **Registered Design Right - 6024615**

• Can be used almost anywhere

• Extremely low energy consumption, only 5W per 2000mm

• Self-adhesive 3M tape on back for installation

• Male and female ends allow you to create required length

• Can be cut to length (every 50mm)

• Cut the strip ONCE and re-use the cut off section using cut joining connector

• Suitable for use in multiple areas - including Plinth, Over / Under Cabinet

• IP54 rated - Limited ingress of dust permitted (no harmful deposit)
  and protected against sprays from any angle, e.g. splashes of water

Viva Multi LED Flexible Strip - **Cool White (5350K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE10645C0	1.25W	24V	500mm	1	149 lm	Required	£13.52
SE10615C0	2.5W	24V	1000mm	1	298 lm	Required	£22.20
SE10615C1	2.5W	24V	1000mm	1	298 lm	15W included	£41.28
SE10625C0	5W	24V	2000mm	1	596 lm	Required	£38.88
SE10625C1	5W	24V	2000mm	1	596 lm	15W included	£57.62

Viva Multi LED Flexible Strip - **Warm White (2900K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE10645W0	1.25W	24V	500mm	1	139 lm	Required	£13.52
SE10615W0	2.5W	24V	1000mm	1	278 lm	Required	£22.20
SE10615W1	2.5W	24V	1000mm	1	278 lm	15W included	£41.28
SE10625W0	5W	24V	2000mm	1	556 lm	Required	£38.88
SE10625W1	5W	24V	2000mm	1	556 lm	15W included	£57.62

8mm

2.5mm

15cm

2.5m

1.5m

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.00
SE10314*	LED Flexible Strip Driver Connection Lead - 2500mm	£3.19
	Required to run the Viva LED Flexible Strip	
SE10316	LED Flexible Strip Corner Connection Lead - 50mm	£2.50
SE10317	LED Flexible Strip Joining Lead - 1500mm	£2.40
SE10318MCC	LED Flexible Strip Cut Jointing Connector	£3.00

Image shows how this product is wired to a driver

SE9009   SE10314   SE10316   SE10317   SE10318MCC

PRIMO 2
5M CLIP LED FLEXIBLE STRIP

| White Finish | Cool / Warm LED Colour | Dimmable | 120° | 50,000 hrs | IP20 | ® |

• **Registered Design Right - 6024616**

• Can be cut and re-used up to 50 times

• Illuminate several areas of a room with one strip

• Self-adhesive 3M tape on the back of the fitting for installation

• Supplied as 5m reel

• Can be cut to length (every 100mm)

• Suitable for multiple areas - including plinth, over / under cabinet

• IP20 rated - protected against solid objects over 12mm (e.g. fingers)

Strip can be cut through the centre of each of these points

Primo 5m Clip LED Flexible Strip - **Cool White (5000K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE10755C0	18W	● 24V	5m	1	1990 lm	Required	£58.80
SE10755C1	18W	● 24V	5m	1	1990 lm	30W included	£98.54

Primo 5m Clip LED Flexible Strip - **Warm White (3000K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE10755W0	18W	● 24V	5m	1	1985 lm	Required	£58.80
SE10755W1	18W	● 24V	5m	1	1985 lm	30W included	£98.54

10mm
3mm

2.5m   15cm   1.5m

Image shows how this product is wired to a driver

Cable, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE101080*	Primo Driver Connection Cable - 2500mm	£4.08
	* Required to run the Primo LED Flexible Strip	
SE100050	Primo Joining Clip	£1.44
SE100750	1.5m Joining Lead	£4.44
SE101050	Primo Flexible Strip Corner Connector	£2.40
SE9009	2.5m Extension Cable	£3.00

SE101080   SE100050   SE100750   SE101050   SE9009

DUOFLEX
DUAL COLOUR FLEXIBLE STRIP

| White Finish | | Dimmable | 120° | 50,000 hrs | IP54 | ® |

• **Registered Design Right - 6024620**

• Seamlessly mix colour to create the perfect mood

• Can be easily alternated between cool white, natural white and warm white, and anything in between

• Self-adhesive 3M tape on back for installation

• Male and female ends allow you to create required length

• Can be cut to length (every 100mm)

• Cut the strip ONCE and that will create the end of the run. The cut piece with female end cannot be reused

• Operate using a 3-in-1 remote control or Sensio Multi-Light App

• One remote will control all receivers within 15m radius

• Maximum length of 6m can be run from each receiver

• 10 brightness levels

• Dims and brightens in 10% increments

• IP54 rated - Limited ingress of dust permitted (no harmful deposit) and protected against sprays from any angle, e.g. splashes of water

Duoflex Dual Colour Flexible Strip - **(2700K -5000K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE10445D0	2.5W	● 24V	500mm	1	195 lm	Required	£20.02
SE10425D0	10W	● 24V	2000mm	1	780 lm	Required	£57.72
SE10425D1.1*	10W	● 24V	2000mm	1	780 lm	15W included	£156.95

* Includes the driver, driver lead, receiver and remote control

Cool white and warm white diodes side by side creating natural white

10mm

2.5mm

Cables and Connectors

| CODE	DESCRIPTION	RRP
SE10325*	Driver Connection Lead - 2500mm	£5.94
	* One Driver Lead is required for each run of the DuoFlex	
SE10328	DuoFlex Joining Lead - 500mm	£3.12
SE10327	DuoFlex Corner Connection Lead - 50mm	£3.59

SE10325   SE10328   SE10327

Warm white 2700K

Natural white 4000K

Cool white 5000K

RGB
COLOUR CHANGING FLEXIBLE STRIP

White Finish | Dimmable | 120° | 50,000 hrs | IP54 | RGB | ®

- **Registered Design Right - 6024619**
- 7 colours, 3 effects
- Pre-set colours available
- Great for mood lighting
- Function available to cycle through colours
- Cycle can be slow or quick colour change
- Self-adhesive 3M tape on back for installation
- Male and female ends allow you to create required length
- Can be cut to length (every 100mm)
- Operate using the 3-in-1 Remote Control or Sensio Multi-Light App
- One remote will control all receivers within 15m radius
- Multiple receivers can be controlled by one remote
- Maximum length of 12m from a 60W Driver
- IP54 rated - Limited ingress of dust permitted (no harmful deposit) and protected against sprays from any angle, e.g. splashes of water

RGB Colour Changing Flexible Strip

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE10245R0	2.5W	● 24V	500mm	1	165 lm	Required	£16.24
SE10225R0	10W	● 24V	2000mm	1	660 lm	Required	£54.24
SE10225R1.1*	10W	● 24V	2000mm	1	660 lm	15W included	£146.94

* Includes the driver, driver lead, receiver and remote control

10mm | 2.5mm

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE10325*	Driver Connection Lead - 2500mm	£5.94
	* Required to run the RGB LED Flexible Strip	
SE10328	LED RGB Flexible Strip Joining Lead - 500mm	£3.12
SE10327	LED RGB Flexible Strip Corner Connection Lead - 50mm	£3.59

SE10325

SE10328

SE10327

SENSIO MULTI-LIGHT APP
BLUETOOTH RECEIVERS

GOLD WINNER
Innovation in Functionality

iOS

• Control any Sensio lighting product from a smart phone or tablet device

How it works:
• Plug the relevant receiver for your light into a driver
  *A receiver is required for any product you would like to control using the App
• Download 'Sensio Multi Light' from the Apple Store (free download)
• Switch all lighting you wish to control on
• Follow the Sensio instructions to configure your preferred settings

Features:
• On/off switch
• Single product selection - control each light/light area individually
• Group lighting - group all/some of your lighting to be controlled together
• Your settings - set up lighting areas and control each separately
• RGB lighting will change colour to the sound of your music

SE792990   SE793990   SE794990

Sensio Multi-Light App Bluetooth Receivers

CODE	Description	Wattage	Qty	RRP
SE792990	Single Colour LED	72W*	1	£32.40
SE793990	RGB LED	72W*	1	£35.40
SE794990	Duo Colour LED	72W*	1	£31.92

Maximum (based on use with 24V products)

Driver(s) to be purchased separately. Detection range of the receivers is ≤ 10m. The App can pair with up to 4 receivers.

SE792990   SE793990

SENSIO MULTI-LIGHT
MOBILE LIGHTING CONTROL

- Multiple light type control (single colour, RGB, TrioTone & CCT)
- Simple installation, now or later (can be retrofit)
- Easy to use. FREE iOS App
- No more remotes, control all lighting from one app
- Simple navigation

INTEGRATED SOLUTIONS & PROFILES

- Available in a variety of lengths.

- We offer a surface mounted or recessed aluminium profile with a frosted diffuser.

- Our angled profile can be used to introduce wide angled light to edges and corners of internal units, or for use under cabinets for a discreet solution.

- Interated solutions are perfect for a more flush appearance

# CONTOUR
UNDER WORKTOP PROFILE

White Finish

Registered Design Right - 6037414

• Ideal for contemporary kitchen designs with handleless cabinets

• Compatible with Sensio flexible LED strips and has a opaque diffused lens so that no individual diodes are visible

• Available in 1.5m and 2.5m lengths

• Can be cut to any desired length

• Includes internal and external connects which are optional extras

Contour Under Worktop Profile

CODE	Length	Qty	RRP
SE98210	1500mm	1	£20.92
SE98220	2500mm	1	£34.87

Internal corner connector   External corner connector   End cap

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE97990	1 x External Corner Connector	£3.66
SE97890	1 x Internal Corner Connector	£3.66
SE97790	1 x Left End Cap & 1 x Right End Cap	£3.00

MANTA
INTEGRATED HANDLESS PROFILE

Aluminium Finish	Cool LED Colour	30,000 hrs	Dimmable	2 metres

• Available in 8 lengths

• True integrated handless profile

• Diffused LED strip points up and down providing internal/under cabinet lighting

• Aluminium finish

Manta Integrated Handless Profile - **Cool White (4500K)**

CODE	Wattage	Voltage	Length	Qty	Lumens	Driver	RRP
SE27012C0	6.4W	● 24V	361mm	1	503 lm	Required	£27.30
SE27112C0	7.4W	● 24V	411mm	1	570 lm	Required	£29.53
SE27212C0	8.4W	● 24V	461mm	1	666 lm	Required	£31.76
SE27312C0	10.3W	● 24V	561mm	1	808 lm	Required	£35.45
SE27412C0	14.3W	● 24V	761mm	1	1070 lm	Required	£44.28
SE27512C0	15.4W	● 24V	861mm	1	1225 lm	Required	£48.00
SE27612C0	17.3W	● 24V	961mm	1	1322 lm	Required	£53.90
SE27712C0	21.1W	● 24V	1161mm	1	1606 lm	Required	£62.00

*361/411/461/561/761/861/961/1161mm*

Image shows how this product is wired to a driver

BEAM
ANGLED ALUMINIUM PROFILE

Aluminium Finish

• Angled to spread evenly diffused light

• Available in 2.2m and 1m lengths

• 16mm x 16mm

• All Sensio flexible strips will fit inside the profile (10mm inner channel)

• Silver finished end caps

• Hole in the end cap is adequate size to fit a JB4 connector, allowing use with the Primo, Compact and Viva

• Suitable for use with the Duoflex and RGB, simply adapt the hole in the end cap

• Supplied with one cut out end cap and one with no cut-out for a neat finish

• Opal PC cover to diffuse the LED points

• Mounting brackets and end caps supplied with each profile

• Additional mounting brackets and end caps will be sold separately in sets of 2

Beam Angled Aluminium Profile

CODE	Length	Qty	RRP
SE982120	1000mm	1	£12.23
SE982220	2200mm	1	£25.96

10.5mm 16mm 16mm

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE983050	Additional End Cap Set for Angled Aluminium Profile	£1.01
SE984050	Additional Mounting Bracket Set for Angled Aluminium Profile	£1.01

SE983050

SE984050

LINIA
## RECESSED ALUMINIUM PROFILE

Aluminium Finish

- Flush fit for a minimalist look
- Aluminium finish
- Houses all Sensio flexible strips
- Flexible and easy to install
- End caps protrude to fill the gap in furniture when cut with a router for neat finish
- End caps supplied with each profile (2 with the 1m, 4 with the 2.2m)
- Perfect for use under cabinets, inside larders or inside wardrobes
- Streamlined finish

Linia Recessed Aluminium Profile

CODE	Length	Qty	RRP
SE980120	1000mm	1	£12.35
SE980220	2200mm	1	£24.95

10mm (End cap)   10mm (End cap)

1000/2200mm

21mm

8mm

0.3m

16.6mm

19mm

Cut out
Width: 18mm
Depth   6.5mm

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE980050	2 x End Caps for Recessed Profile	£0.89

SE980050

FINO
## SURFACE MOUNTED ALUMINIUM PROFILE

Aluminium Finish

- Customisable lighting
- Aluminium finish
- Houses all Sensio flexible strips
- Flexible and easy to install
- End caps and mounting brackets supplied with each profile (2 with the 1m, 4 with the 2m)
- Can be cut to length
- Perfect for use inside cabinets, larders or wardrobes
- Streamlined finish

Fino Surface Mounted Profile

CODE	Length	Qty	RRP
SE981120	1000mm	1	£11.84
SE981220	2000mm	1	£22.31

2mm (End cap)   *2mm (End cap)*

1000/2000mm

8.5mm

0.3m

16mm

18mm

Cables, Connectors and Accessories

CODE	DESCRIPTION	RRP
SE982050	2 x End Caps for Surface Mounted Profile	£ 0.89
SE981050	2 x Mounting Brackets for Surface Mounted/ Recessed Profile	£0.48

SE982050

SE981050

BATTERY LIGHTING

- Convenient, easy to install and discreet.
- No wiring necessary.

DOMA
BATTERY POWERED SPOT LIGHT

| White Finish	Warm LED Colour	100°	35,000 hrs		R	SLS

- Quick and simple to install. No wiring required
- Diffuser conceals all visible LED points
- Powered by 3 x AA batteries (not included)
- Push the centre of the fitting to switch the light on/off
- Auto power off after 10 minutes
- Battery lifetime: 6 months when used 3 times per day for 5 minutes each time

Doma Battery Powered Spot Light - **Warm White (3000K)**

CODE	Wattage	Power Supply	Qty	Lumens	RRP
SE11009W0	0.75W	3 x AA batteries	1	70 lm	£14.38

* Requires 3 x AA batteries (not included). Comes in coloured packaging.

18mm (11/16") Ø100mm (3-15/16") Ø49mm (1-15/16")

OPAL
BATTERY POWERED LED LIGHT

| Silver Finish | Warm LED Colour | 35,000 hrs | 140° | Dimmable | | R | SLS |

- Quick and simple to install. No wiring required
- Diffuser conceals all visible LED points
- Powered by 3 x AA batteries (not included)
- Built-in on/off switch with dimming function
- Functions: on at full brightness, 50% brightness and off
- Neat and simple solution, suitable for any kitchen
- Auto powers off after 10 minutes
- Battery lifetime - 1 year when used 3 times per day for 5 minutes

Opal Battery Powered LED Light - **Warm White (3000K)**

CODE	Wattage	Length	Power Supply	Qty	Lumens	RRP
SE10154W0	1.2W	251mm	3 x AA batteries	1	84 lm	£29.64

* Requires 3 x AA batteries (not included). Comes in coloured packaging.

251mm
35.4mm
18mm